

FIG. 1





FIG. 2




FIG. 3

## *CLIENT*

SERVER/ADMINISTRATOR




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

ScriptLogic Configuration Properties

Policies	MS Office	Shell Folders	NT Common Shell Folders	Internet	Outlook
Updates	Application Launcher	Message Boxes	Registry	Legal Notice	
General	Logging	Display	Path	Printers	Environment

Path  

Log File Location

Field 1 Current date	Field 8 Network MAC address
Field 2 Current time	Field 9 Logon ID of the user
Field 3 Logon server	Field 10 Full name of user
Field 4 NetBIOS machine name	Field 11 (\$PRIV)
Field 5 Operating System version.build	Field 12 Connection Type (e.g. LAN RAS)
Field 6 Operating System current service pack NT-	Field 13 \$SystemDrive \$FreeSpace
Field 7 TCP/IP address of the client	Field 14 Security Identifier (SID)

Purge Log files older than  Months

FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26